


ATTENTION! INSTALLATION GUIDE: INFLATING SHOCKS FOR FIRST TIME




EXTENDED

COMPRESSED




WRONG!
BIKE ON JACK

PHOTO OF PINCHED AIR BAG.
DO NOT DISASSEMBLE SHOCKS, OR WARRANTY WILL BE VOID.




DO NOT INFLATE SHOCKS WHEN BIKE IS OFF OF THE GROUND AND SHOCKS ARE EXTENDED.

NOTE: PINCHED AIR BAGS ARE NOT COVERED UNDER WARRANTY!



CORRECT!
BIKE OFF JACK

PHOTO OF NORMAL AIR SPRING.



WHEN INFLATING SHOCKS FOR FIRST TIME, LOWER BIKE TO GROUND AND MAKE SURE SHOCKS ARE FULLY COMPRESSED. THEN APPLY AIR.

THIS WILL PREVENT PINCHING OF THE AIR BAGS.



WARNING

During installation of your Legend **AIR** 's do not apply air to the shocks with the bike on the jack and the shocks extended. Make sure the shocks are fully compressed under the weight of the bike before applying air.

Failing to do so may cause the air springs to become rolled, resulting in a poor ride quality, air leaks, and/or damage to the shocks.

Thank you, Legend Suspensions Tech Team!

If you have any questions or concerns, feel free to contact our customer support team by emailing service@legendsuspensions.com.